



Indiana Department of Environmental Management
Office of Water Quality
Wetlands Section

Publication Date:
December 11, 2007

IDEM ID Number:
2007-650-07-JWR-A

Closing Date:
December 31, 2007

Corps of Engineers ID Number:
Not Available

PUBLIC NOTICE

To all interested parties:

This letter shall serve as a formal notice of the receipt of an application for **Section 401 Water Quality Certification** by the Indiana Department of Environmental Management (IDEM). The purpose of the notice is to inform the public of active applications submitted for water quality certification under Section 401 of the Clean Water Act (33 U.S.C. § 1341) and to solicit comments and information on any impacts to water quality related to the proposed project. IDEM will evaluate whether the project complies with Indiana's water quality standards as set forth at 327 IAC 2.

- | | | | |
|----------------------|--|------------------|--|
| 1. Applicant: | Mr. Joe Soughers
Department of Natural Resources
402 W. Washington Street, Room W299
Indianapolis, IN 46204 | 2. Agent: | Mr. Darren Norrington
Smith Neubecker & Associates, Inc.
453 S. Clarizz Boulevard
Bloomington, IN 47401 |
|----------------------|--|------------------|--|
- 3. Project location:** NE 1/4, Section 31, Township 9 North, Range 2 East. Brown County, Belmont USGS Quad
The project is located at the spillway of Yellowwood Lake in Yellowwood State Forest.
- 4. Affected waterbody:** Yellowwood Lake
- 5. Project Description:** The applicant proposes to remove and replace the concrete spillway deck. The project will require the removal of 1,490 cubic yards of concrete and the discharge of 1,490 cubic yards of concrete. The concrete spillway is approximately 355 linear feet in length and varies in width from 35 feet to 180 feet impacting approximately 0.68 acre. Additionally, a filter patch will be installed in the lake. The filter patch will be 20 feet by 20 feet consisting of 2 feet of aggregate with 215 feet of 4" drain pipe, a 6" toe drain and 6" of top soil. No mitigation is proposed for the impacts.

Comment period: Any person or entity who wishes to submit comments or information relevant to the aforementioned project may do so by the closing date noted above. Only comments or information related to water quality or potential impacts of the project on water quality can be considered by IDEM in the water quality certification review process.

Public Hearing: Any person may submit a written request that a public hearing be held to consider issues related to water quality in connection with the project detailed in this notice. The request for a hearing should be submitted within the comment period to be considered timely. The request should also state the reason for the public hearing as specifically as possible to assist IDEM in determining whether a public hearing is warranted.

Questions? Additional information may be obtained from Mr. Jason Randolph, Project Manager, at 317-233-0467. Please address all correspondence to the project manager and reference the IDEM project identification number listed on this notice. Indicate if you wish to receive a copy of IDEM's final decision. Written comments and inquiries may be forwarded to -

Indiana Department of Environmental Management
100 North Senate Avenue
MC65-42 WQS IGCN 1255
Indianapolis, Indiana 46204-2251
FAX: 317/232-8406



YELLOWWOOD
LAKE

EX. WEIR AND
SPILLWAY

SHORELINE

PROJECT
LIMITS

GRASS


FILTER
PATCH

FOREST

EX. SPILLWAY BOTTOM
TO BE REPLACED

DISTURBED AREA = 0.68 AC.



THE PROPERTY BOUNDARY IS THE YELLOWWOOD STATE FOREST BOUNDARY



SCALE: 1"=60'

YELLOWWOOD LAKE DAM
SPILLWAY REPLACEMENT
DISTURBED AREA

APPLICANT: IDNR
AGENT: SMITH NEUBECKER & ASSOC.
PROJECT: YELLOWWOOD LAKE DAM
DATE: NOVEMBER 12, 2007
SCALE: 1" = 60'



CONTOUR INTERVAL 10 FEET
DATUM IS MEAN SEA LEVEL

Yellowwood Lake Dam
Spillway Replacement
Project Location Map
Belmont Quadrangle

Applicant: IDNR
Agent: Smith Neubecker & Assoc.
Date: November 12, 2007
Scale: 1" = 2000'

